

PERSETUJUAN PEMBIMBING


**Skripsi yang berjudul "PENGARUH ORIENTASI TERHADAP TINGKAT
KECEMASAN PASIEN YANG DIRAWAT DI RUANG INTERNA RSUD TOTO
KABILA KABUPATEN BONE BOLANGO**

Oleh

NOVALIA TANGAHU
NIM. 841413142

Telah di periksa dan di setujui

Pembimbing I



RINI FAHRIANI ZEES, S.Kep.,Ns.,M.Kep
NIP.198110142005012002


Pembimbing II



dr. VIVIEN NOVARINA KASIM, M.Kes
NIP.198305192008122002

Mengetahui,

Ketua Jurusan Keperawatan



dr. NANANG ROSWITA PARAMATA, M.Kes
NIP.19771028 200812 2 003

LEMBAR PENGESAHAN

SKRIPSI

PENGARUH ORIENTASI TERHADAP TINGKAT KECEMASAN
PASIEN YANG DIRAWAT DI RUANG INTERNA RSUD
TOTO KABILA KABUPATEN BONE BOLANGO

Oleh

NOVALIA TANGAHU
NIM. 841413142

Telah di pertahankan di depan dewan penguji

Hari/Tanggal : Jum'at, 16 Januari 2015

Waktu : 12.00 WITA

Penguji:

1. RINI FAHRIANI ZEES, S.Kep.Ns.M.Kep (.....)
NIP : 19811014 200501 2 002
2. dr.VIVIEN NOVARINA KASIM, M.Kes (.....)
NIP : 19830519 200812 2 002
3. Ns.VIK SALAMANJA, S.Kep .M.Kes (.....)
NIP : 19740116 199301 1 002
4. dr.NANANG ROSWITA PARAMATA, M.Kes (.....)
NIP : 19771028 200812 2 003

Gorontalo, Januari 2015

Mengetahui,
Dekan Fakultas Ilmu-Ilmu Kesehatan dan Keolahragaan
Universitas Negeri Gorontalo



Dr. Lintie Boekoesoe, M.Kes
NIP.19590110 198603 2 003

ABSTRACT

Novalia Tangahu, 2014. The Effect of Orientation toward Level of Anxiety of Hospitalized Patients at Internal Room of Regional Public Hospital of Toto Kabila, District of Bone Bolango. Skripsi, Department of Nursing, Faculty of Health and Sport Sciences, Universitas Negeri Gorontalo. The principal supervisor was Rini Fahrani Zees and the co-supervisor was Vivien Novariana Kasim.

The patients who are being hospitalized experience anxiety; moderate to none. It due to the nurses did not implement the orientation optimally. The patients who are being hospitalized are always asking questions, flustered, and easy to get mad. The research aimed at analyzing the effect of orientation toward level of anxiety of hospitalized patient at Internal Room of Regional Public Hospital of Toto Kabila.

The research applied pre experimental design in one group (one-group pretest posttest). The population of research were all patients in Internal Room of Regional Public Hospital of Toto Kabila. The samples were 56 patients chosen through accidental sampling technique. The independent variable was orientation to patients and dependent variable was level of anxiety. The method of data collection was by using questionnaire. The data then being analyzed through Wilcoxon signed rank test at level of significance as $p \leq 0,05$.

The research result showed that the patients who had been given pre orientation with moderate level of anxiety were 28 patients (50%). The patients who had been given orientation and did not experience anxiety were 34 patients (60,7%). Meanwhile, there was an effect of orientation toward level of anxiety of patient ($p=0,001$).

Based on the research result, it can be concluded that if the nurses implement the orientation according to the determined procedure then the level of anxiety of patients will decrease. Therefore, the nurses should improve the knowledge about the benefit of orientation for patients.

Keywords: Orientation, Patient, Level of Anxiety

