

PERSETUJUAN PEMBIMBING

SKRIPSI

**HUBUNGAN POLA ASUH IBU DENGAN STATUS GIZI
ANAK BALITA DI WILAYAH KERJA PUSKESMAS TILANGO
KECAMATAN TILANGO KABUPATEN GORONTALO**


OLEH

**GIO VANA HAMBALI
NIM 811412077**

Pembimbing 1

Dr. Sunarto Kadir, Drs., M.Kes
NIP : 196609181992031002

Pembimbing 2


Lia Amalia, SKM., M.Kes
NIP : 197911292005012017

Gorontalo, Juli 2016

Mengetahui,

Ketua Jurusan Kesehatan Masyarakat

Dr. Sunarto Kadir, Drs., M.Kes
NIP : 196609181992031002

LEMBAR PENGESAHAN

SKRIPSI

**HUBUNGAN POLA ASUH IBU DENGAN STATUS GIZI
ANAK BALITA DI WILAYAH KERJA PUSKESMAS TILANGO
KECAMATAN TILANGO KABUPATEN GORONTALO**

OLEH


**GIO VANA HAMBALI
811412077**

Telah dipertahankan di depan penguji

**Hari / Tanggal : Jumat, 1 Juli 2016
Waktu : 08.00 – 09.00**

Penguji :

1. **Dr. Sunarto Kadir, Drs., M.Kes**
NIP. 19660918 199203 1 002
2. **Lia Amalia, SKM., M.Kes**
NIP. 19791129 200501 2 017
3. **Dra. Hj. Rani Hiola, M.Kes**
NIP. 19530913 198302 2 001
4. **Dr. Hj. Laksmyn Kadir, S.Pd., M.Kes**
NIP. 197503134 200501 2 001



Gorontalo, 1 Juli 2016

Dekan Fakultas Olahraga dan Kesehatan



ABSTRAK

Gio Vana Hambali, 811412077, Hubungan Pola Asuh Ibu Dengan Status Gizi Anak Balita Di Wilayah Kerja Puskesmas Tilango Kecamatan Tilango Kabupaten Gorontalo. Skripsi, Jurusan Kesehatan Masyarakat, Fakultas Olahraga Dan Kesehatan, Universitas Negeri Gorontalo. Pembimbing I, Dr. Sunarto Kadir Drs., M.Kes dan Pembimbing II Lia Amalia S.KM., M.Kes.

Pola asuh memberikan kontribusi bagi kesejahteraan dan kebahagiaan serta kualitas hidup yang baik bagi anak secara keseluruhan. Sebaliknya jika pola asuh anak kurang memadai, terutama keterjaminan makanan dan kesehatan anak, bisa menjadi salah satu faktor yang menghantarkan anak menderita kurang gizi. Kasus gizi yang ditemukan berdasarkan indikator BB/TB untuk gizi buruk sebesar 3,7% sedangkan untuk gizi kurang 7,0%. Rumusan masalah apakah ada hubungan antara pola asuh ibu dengan status gizi anak balita. Tujuan penelitian untuk mengetahui hubungan pola asuh ibu berdasarkan perhatian /dukungsn ibu dalam praktek pemberian makanan, rangsangan psikososial, perawatan kesehatan dengan status gizi anak balita.

Penelitian ini dilaksanakan diwilayah kerja Puskesmas Tilango. Jenis penelitian adalah survei analitik dengan desain penelitian *Case Control study*. Populasi adalah seluruh anak balita yang berjumlah 1034, dengan jumlah sampel 150 anak balita yang dibagi untuk kelompok kasus sebanyak 25 anak balita dan untuk kelompok kontrol sebanyak 125 anak balita. Analisis data dengan univariat, dan bivariat menggunakan uji *Chi-Square* dan *Odds Ratio*.

Hasil analisis data berdasarkan perhatian/dukungan ibu dalam praktek pemberian makanan, rangsangan psikososial, perawatan kesehatan diperoleh nilai $p = 0,000 < 0,05$, $p = 0,000 < 0,05$, dan $p = 0,005 < 0,05$.

Simpulan penelitian ini adalah terdapat hubungan antara pola asuh ibu berdasarkan perhatian/dukungan ibu dalam praktek pemberian makanan, rangsangan psikososial, perawatan kesehatan dengan status gizi anak balita. Diharapkan kepada masyarakat agar dapat menerapkan pola asuh yang baik sehingga dapat menghindari terjadinya gizi kurang dan gizi buruk terhadap anak balita.

Kata Kunci : Pola Asuh, Status Gizi, Anak Balita

ABSTRACT

Gio Vana Hambali. Student ID 81412077. The Correlation between Maternal Care Pattern and the Nutritional Status of the Under Five Years Old Baby in the Area of Community Health Care Center (PUSKESMAS) Tilango of Tilango Sub-district, District of Gorontalo. Skripsi, Public Health Department, Faculty of Sports and Health, State University of Gorontalo. Principal Supervisor is Dr. Sunarto Kadir, Drs, M. Kes, and Co-supervisor is Lia Amalia, S.KM., M. Kes.

Maternal care gives large contribution for the overall welfare, happiness, and better life quality of the children. In reverse, if the maternal care pattern is inadequate, especially in ensuring the meal provision and child's health, it can be one contributing factor to malnutrition in children. The nutrition cases found based on the body weight/body height indicator for malnutrition cases is 3.7%, and for lack nutrition children is 7.0%. The problem statement in this research is that whether there is a correlation between maternal care pattern and the nutritional status of the under five years old baby. The objective of this research is to find out the correlation between maternal care pattern based on the mother's attention/support in practicing the meal administration, psychosocial stimulus, health care and the nutritional status of the baby.

This research is conducted in the area of PUSKESMAS Tilango. It is an analytical survey with case control study design. The population of this study is 1034 under five years old children, and the size of the sample is 150 children divided into case group 25 children and control group is 125 children. The data are analyzed with univariate analysis and bivariate analysis using chi-square test and odds ratio.

It reveals that the mother's support in practicing meals administration, psychosocial stimulus, health care obtained the p value of $0.000 < 0.05$, $p=0.000 < 0.05$, and $p=0.005 < 0.05$.

The conclusion of this research is that there is a correlation between maternal care pattern based on the attention/support of the mother in practicing the meal's administration, psychosocial stimulus, health care and the nutrition status of the under five years old baby. It is recommended that the community can implement the good care pattern to avoid the less and malnutrition incidents on under five years old babies.

Keywords: Care Pattern, Nutritional Status, under five years old baby

